Author Index

Adams, M. A.	The compressive strength of articular cartilage	273–280
Akin, S.	Relation between mechanical stiffness and vibration transmission of fracture callus: an experimental study on rabbit tibia	327–376
Akkas, N.	Relation between mechanical stiffness and vibration transmission of fracture callus: an experimental study on rabbit tibia	327–376
Akkus, O.	Relation between mechanical stiffness and vibration transmission of fracture callus: an experimental study on rabbit tibia	327–376
Alleyne, D. N.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Ambrosio, L.	Composite hydrogels for implants	93–99
Amis, A. A.	Accuracy of an electromagnetic measurement device and application to the measurement and description of knee joint motion	347–355
Amis, A. A.	Knee joint motion: description and measurement	357–372
Amis, A. A.	Rapid prototyping for orthopaedic surgery	383–393
Angelini, G. D.	Biomaterials and cardiovascular devices	465–472
Atkins, R. M.	The yielding of tensioned fine wires in the Ilizarov frame	37–47
Back, T.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Barton, D. C.	Prediction of plastic strains in ultra-high molecular weight polyethylene due to microscopic asperity interactions during sliding wear	49–56
Barton, D. C.	A two-dimensional model of cyclic strain accumulation in ultra-high molecular weight polyethylene knee replacements	189–198
Berkshire, F. H.	Accuracy of an electromagnetic measurement device and application to the measurement and description of knee joint motion	347–355
Best, S. M.	Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment	437–451
Bigsby, R. J. A.	The design of an optimized portable artificial kidney system using recirculation and regeneration of dialysate	373–381
Bircher, M.	Rapid prototyping for orthopaedic surgery	383–393
Bittinger, F.	Current trends in biocompatibility testing	75–84
Blount, G. N.	The design of an optimized portable artificial kidney system using recirculation and regeneration of dialysate	373–381
Boltong, M. G.	Osteotransductive bone cements	427–435
Bonfield, W.	Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment	437–451
Bouazza-Marouf, K.	Drilling of bone: a robust automatic method for the detection of drill bit break-through	209–221
Brown, R. A.	Fibroblast responses to mechanical forces	85–92
Bull, A. M. J.	Accuracy of an electromagnetic measurement device and application to the measurement and description of knee joint motion	347–355
Bull, A. M. J.	Knee joint motion: description and measurement	357–372
Cawley, P.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Collier, J. P.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Collins, M. W.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 1: a review of models for arterial wall behaviour	229–240
Collins, M. W.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 2: development of coupled fluid–solid algorithms	241–252
Craig, P. S.	Discrepancy between penetration depths derived from radiographic and direct measurement of acetabular components	57–64
Currey, J. D.	Mechanical properties of vertebrate hard tissues	399–412
Currier, B. H.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Currier, J. H.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Czernuszka, J. T.	Collagen–calcium phosphate composites	413–425
Deb, S.	Polymers in dentistry	453–464

© IMechE 1998

de Groot, K.	Calcium phosphate coatings for medical implants	137–147
Derbyshire, B. M.	The estimation of acetabular cup wear volume from two-dimensional measurements: a comprehensive analysis	281–291
De Santis, R.	Composite hydrogels for implants	93–99
Dowson, D.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Driessens, F. C. M.	Osteotransductive bone cements	427–435
Duda, J. L.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Dunne, N. J.	Flow characteristics of curing polymethyl methacrylate bone cement	199–207
Eastwood, M.	Fibroblast responses to mechanical forces	85–92
Egan, J.	Investigation into the effect of proteoglycan molecules on the tribological properties of cartilage joint tissues	177–182
Elfick, A. P.	The frictional behaviour of explanted PCA hip prostheses	395–397
Fisher, J.	Analysis of contact mechanics for composite cushion knee joint replacements	1–10
Fisher, J.	Prediction of plastic strains in ultra-high molecular weight polyethylene due to microscopic asperity interactions during sliding wear	49–56
Fisher, J.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Fisher, J.	Investigation into the effect of proteoglycan molecules on the tribological properties of cartilage joint tissues	177–182
Fisher, J.	A two-dimensional model of cyclic strain accumulation in ultra-high molecular weight polyethylene knee replacements	189–198
FitzPatrick, D. P.	A two-dimensional model of cyclic strain accumulation in ultra-high molecular weight polyethylene knee replacements	189–198
Forester, A. J.	Rapid prototyping for orthopaedic surgery	383–393
George, R.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Gil, F. J.	Shape memory alloys for medical applications	473–488
Ginebra, M. P.	Osteotransductive bone cements	427–435
Grimer, R. J.	*In vivo* distraction forces in extendible endoprosthetic replacements—a study of 34 patients	151–155
Hall, R. M.	Discrepancy betweeen penetration depths derived from radiographic and direct measurement of acetabular components	57–64
Hall, R. M.	The association between rates of wear in retrieved acetabular components and the radius of the femoral head	321–326
Hall, R. M.	The frictional behaviour of explanted PCA hip prostheses	395–397
Han, S.-M.	Dependence of broadband ultrasound attenuation on the elastic anisotropy of trabecular bone	223–227
Harper, E. J.	Bioactive bone cements	113–120
Harrison, A. J.	The yielding of tensioned fine wires in the Ilizarov frame	37–47
Hench, L. L.	Mechanical properties of bioactive glasses, glass-ceramics and composites	127–136
Higaki, H.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Higaki, H.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Higaki, H.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Hillard, P. J.	The yielding of tensioned fine wires in the Ilizarov frame	37–47
Hing, K. A.	Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment	437–451
Hlaváček, M.	The influence of articular surface incongruity on lubrication and contact pressure distribution of loaded synovial joints	11–22
Hobatho, M.-C.	Applications of computer modelling for the design of orthopaedic, dental and cardiovascular biomaterials	489–500
Ikeuchi, K.	A new method for accurate measurement of displacement of the knee menisci	183–188
Ingham, E.	Investigation into the effect of proteoglycan molecules on the tribological properties of cartilage joint tissues	177–182
Iwamoto, Y.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Jansen, J. A.	Calcium phosphate coatings for medical implants	137–147
Jeronimidis, G.	Preliminary investigation of a novel controlled stiffness proximal femoral prosthesis	165–175
Jin, Z. M.	Analysis of contact mechanics for composite cushion knee joint replacements	1–10
Jin, Z. M.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Kennedy, F. E.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Kerin, A. J.	The compressive strength of articular cartilage	273–280
Khairoun, I.	Osteotransductive bone cements	427–435

© IMechE 1998

Kirkpatrick, C. J.	Current trends in biocompatibility testing	75–84
Klein, H.	Current trends in biocompatibility testing	75–84
Köhler, H.	Current trends in biocompatibility testing	75–84
Korkusuz, F.	Relation between mechanical stiffness and vibration transmission of fracture callus: an experimental study on rabbit tibia	327–336
Lawson, A. C.	Collagen–calcium phosphate composites	413–425
McGrouther, D. A.	Fibroblast responses to mechanical forces	85–92
McGurk, M.	Rapid prototyping for orthopaedic surgery	383–393
Macnair, R.	Biomaterials and cardiovascular devices	465–472
McNie, C.	Prediction of plastic strains in ultra-high molecular weight polyethylene due to microscopic asperity interactions during sliding wear	49–56
Marques, A. T.	Preliminary investigation of a novel controlled stiffness proximal femoral prosthesis	165–175
Mawatari, T.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Meredith, N.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Meswania, J. M.	*In vivo* distraction forces in extendible endoprosthetic replacements—a study of 34 patients	151–155
Miura, H.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Moriyama, S.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Moriyama, S.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Murakami, T.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Murakami, T.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Murakami, T.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Nakanishi, Y.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Nakanishi, Y.	The lubricating ability of biomembrane models with dipalmitoyl phosphatidylcholine and γ-globulin	337–346
Nicholson, J. W.	Glass-ionomers in medicine and dentistry	121–126
Nicolais, L.	Composite hydrogens for implants	93–99
Ohtsuki, N.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Ohtsuki, N.	Prediction of transient lubricating film thickness in knee prostheses with compliant layers	157–164
Ong, C. S.	Ultrasonic evaluation of ultra-high molecular weight polyethylene used in medical prostheses	65–69
Ong, F. R.	Drilling of bone: a robust automatic method for the detection of drill bit break-through	209–221
Orr, J. F.	Flow characteristics of curing polymethyl methacrylate bone cement	199–207
Otto, M.	Current trends in biocompatibility testing	75–84
Pavlakovic, B.	The design of a vibration transducer to monitor the integrity of dental implants	265–272
Pickard, J.	Investigation into the effect of proteoglycan molecules on the tribological properties of cartilage joint tissues	177–182
Pinder, I. M.	The frictional behaviour of explanted PCA hip prostheses	395–397
Planell, J. A.	Osteotransductive bone cements	427–435
Planell, J. A.	Shape memory alloys for medical applications	473–488
Pohjonen, T.	Bioabsorbable polymers: materials technology and surgical applications	101–111
Potamianos, P.	Rapid prototyping for orthopaedic surgery	383–393
Reeves, E. A.	A two-dimensional model of cyclic strain accumulation in ultra-high molecular weight polyethylene knee replacements	189–198
Revell, P. A.	Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment	437–451
Rho, J.-Y.	Dependence of broadband ultrasound attenuation on the elastic anisotropy of trabecular bone	223–227
Rider, R. J.	The design of an optimized portable artificial kidney system using recirculation and regeneration of dialysate	373–381
Rokkanen, P.	Bioabsorbable polymers: materials technology and surgical applications	101–111
Saffari, N.	Ultrasonic evaluation of ultra-high molecular weight polyethylene used in medical prostheses	65–69
Sakaue, R.	A new method for accurate measurement of displacement of the knee menisci	183–188
Sakoda, H.	A new method for accurate measurement of displacement of the knee menisci	183–188
Sawae, Y.	Adaptive multimode lubrication in natural synovial joints and artificial joints	23–35
Simões, J. A. O.	Preliminary investigation of a novel controlled stiffness proximal femoral prosthesis	165–175
Siney, P.	Discrepancy between penetration depths derived from radiographic and direct measurement of acetabular components	57–64

© IMechE 1998

Siney, P.	The association between rates of wear in retrieved acetabular components and the radius of the femoral head	321–326
Sneath, R. S.	*In vivo* distraction forces in extendible endoprosthetic replacements—a study of 34 patients	151–155
Sperling, D. K.	*In vitro* simulation of contact fatigue damage found in ultra-high molecular weight polyethylene components of knee prostheses	293–302
Stewart, T.	Analysis of contact mechanics for composite cushion knee joint replacements	1–10
Stone, M. H.	Prediction of plastic strains in ultra-high molecular weight polyethylene due to microscopic asperity interactions during sliding wear	49–56
Strafford, K. N.	Sliding wear studies of selected nitride coatings and their potential for long-term use in orthopaedic applications	303–315
Subramanian, C.	Sliding wear studies of selected nitride coatings and their potential for long-term use in orthopaedic applications	303–315
Tanner, K. E.	Histomorphological and biomechanical characterization of calcium phosphates in the osseous environment	437–451
Taylor, M.	Preliminary investigation of a novel controlled stiffness proximal femoral prosthesis	165–175
Thompson, I. D.	Mechanical properties of bioactive glasses, glass-ceramics and composites	127–136
Thomson, K. D.	The post-buckling behaviour of the pressurized abdominal cavity during knees-bent lifts	253–263
Tomita, N.	A new method for accurate measurement of displacement of the knee menisci	183–188
Törmälä, P.	Bioabsorbable polymers: materials technology and surgical applications	101–111
Tsuji, K.	A new method for accurate measurement of displacement of the knee menisci	183–188
Underwood, M. J.	Biomaterials and cardiovascular devices	465–472
Unsworth, A.	Discrepancy between penetration depths derived from radiographic and direct measurement of acetabular components	57–64
Unsworth, A.	The association between rates of wear in retrieved acetabular components and the radius of the femoral head	321–326
Unsworth, A.	The frictional behaviour of explanted PCA hip prostheses	395–397
Vander Sloten, J.	Applications of computer modelling for the design of orthopaedic, dental and cardiovascular biomaterials	489–500
van Kooten, T. G.	Current trends in biocompatibility testing	75–84
Verdonck, P.	Applications of computer modelling for the design of orthopaedic, dental and cardiovascular biomaterials	489–500
Vokoun, D.	The influence of articular surface incongruity on lubrication and contact pressure distribution of loaded synovial joints	11–22
Wagner, M.	Current trends in biocompatibility testing	75–84
Walker, P. S.	*In vivo* distraction forces in extendible endoprosthetic replacements—a study of 34 patients	151–155
Ward, L. P.	Sliding wear studies of selected nitride coatings and their potential for long-term use in orthopaedic applications	303–315
Wilks, T. P.	Sliding wear studies of selected nitride coatings and their potential for long-term use in orthopaedic applications	303–315
Wisnom, M. R.	The compressive strength of articular cartilage	273–280
Wolke, J. G. C.	Calcium phosphate coatings for medical implants	137–147
Wroblewski, B. M.	Discrepancy between penetration depths derived from radiographic and direct measurement of acetabular components	57–64
Wroblewski, B. M.	The association between rates of wear in retrieved acetabular components and the radius of the femoral head	321–326
Xu, X. Y.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 1: a review of models for arterial wall behaviour	229–240
Xu, X. Y.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 2: development of coupled fluid–solid algorithms	241–252
Zhao, S. Z.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 1: a review of models for arterial wall behaviour	229–240
Zhao, S. Z.	The numerical analysis of fluid–solid interactions for blood flow in arterial structures. Part 2: development of coupled fluid–solid algorithms	241–252

© IMechE 1998